


COIL FORMER


General data PQ40/40 coil former

PARAMETER	SPECIFICATION	
Coil former material	Polyethylene terephtalate (PET), glass-reinforced, flame retardant in accordance with "UL 94V-0"; UL file number E41938	
Pin material		
Maximum operating temperature	155°C, "IEC 60085", class F	
Resistance to soldering heat	"IEC 60068-2-20", Part 2, Test Tb, method 1B, 350 °C, 3.5 s	
Soldeerability	"IEC 60068-2-20", Part 2, Test Ta, method 1	









Winding data and area product for PQ40/40 coil former

NUMBER OF SECTIONS	WINDING AREA (mm²)	MINIMUM WINDING WIDTH (mm)	AVERAGE LENGTH OF TURN (mm)	AREA PRODUCT Ae x Aw (mm ⁴)	TYPE NUMBER
1	251	27.1	83	51820	PQ-4040-3-1S-0P

Tolerances unless otherwise specified: $0 < L \le 4 \pm 0.10$ $4 < L \le 16 \pm 0.20$ $16 < L \le 45 \pm 0.30$ $45 \le L \pm 0.40$ Pin Dim: ± 0.05 Thickness: ± 0.20 Pin Pitch: ± 0.20

Dimensions: (mm)	REMARK		
	\ /	Mould No.: PQ4040-3	Bobbin material: FR530
		Code No.: FAY01091	Available for Fuan core: PQ40/40



Fuan Electronics

TEL :0086-514-87693589 EML :sales@fuantronics.net WEB:www.fuantronics.net

Make: P.Xiao	Material Number: A42404030100	
Checked: Beson. zhan	Document/Rev: 00	
Approved: Anson. zhan	Date of Recognition: Oct./22/2019	