
COIL FORMER

General data 8-pins El30*13 coil former

PARAMETER	SPECIFICATION
Coil former material	polybutyleneterephtalate (PBT), glass reinforced, flame retardant in accordance with "UL 94V-0"; UL file number E59481
Pin material	copper-tin alloy (CuSn), tin (Sn) plated
Maximum operating temperature	130°C, "IEC 60085", class B
Resistance to soldering heat "IEC 60068-2-20", Part 2, Test Tb, method 1B, 350 °C, 3.5 s	
Soldeerability	"IEC 60068-2-20", Part 2, Test Ta, method 1



Winding data and area product for 8-pins El30*13 coil former

NUMBER OF SECTIONS	WINDING AREA (mm²)	MINIMUM WINDING WIDTH (mm)	AVERAGE LENGTH OF TURN (mm)	AREA PRODUCT Ae x Aw (mm ⁴)	TYPE NUMBER
1	55	13.40	68	7150	EI-3013-1S-8P

 $\begin{tabular}{lll} Tolerances unless otherwise specified: \\ 0<L\leq4\pm0.10 & 4<L\leq16\pm0.20 \\ 16<L\leq45\pm0.30 & 45\leq L\pm0.40 \\ Pin Dim:\pm0.05 & Thickness:\pm0.20 & Pin Pitch:\pm0.20 \\ \end{tabular}$

Dimensions: (mm)	REMARK		
	Mould No.: El3005	Bobbin material: PBT	
		Code No.: FAY01091	Available for Fuan core: El30/lamination
_			



Fuan Electronics

TEL :0086-514-87693589 EML :sales@fuantronics.net WEB:www.fuantronics.net

Make: P.Xiao	Material Number: A43301300100	
Checked: Beson. zhan	Document/Rev: 00	
Approved: Anson. zhan	Date of Recognition: Oct./21/2019	